

WMF PROFESSIONAL COFFEE MACHINES



WMF Professional Coffee Machines

Price List From January 1st, 2020. Valid until December 31st, 2020. All prices exclusive of VAT. Recommended prices of WMF Group GmbH.

WMF Group GmbH, Professional Coffee Machines Eberhardstrasse 35, D-73312 Geislingen/Steige, Germany Phone: +49 73 31 - 258 482 · Fax: +49 73 31 - 258 792 professional-coffeemachines@wmf-group.com · www.wmf.com 3406 # 63.8146.0391 · Printed in Germany 01.20 - Edition 2

All technical changes, typographical mistakes and errors reserved for the entire content.

second edition price list 2020

DESIGNED TO PERFORM

www.wmf.com

								YF.							
								Ye N			М	ilk / Steam Syst	tems	(04
								"}			CI	eaning Systems		(05
								YF.			Fr	esh Filtered Cof	ffee	(06
								, ř			Cł	nilled Coffee		1	07
								ALE			W	MF CoffeeConn	iect	(80
								YF I							
								N			W	MF espresso			10
								îf,							
								w.P				MF 900 S			12
												MF 1100 S			14
								YF.				MF 1500 S+			16
								N				MF 1500 S Clas	ssic		18
								iif S				MF 5000 S+			20
								ME I			W	MF 9000 S+		2	22
											144	MF 1200 F			24
								YF_				MF 9000 F			26
								w.P			**	WII 3000 I		4	20
								41F			Αι	uxiliary Units			30
								YF.				onsumables			42
								N							
								ΥE							

Milk / Steam Systems



Basic Milk

Hot milk, hot milk foam -

fully automated using the drink spout.



Easy Milk

Hot and cold milk, hot milk foam fully automated using the drink spout.



Dynamic Milk

Hot and cold milk, hot and cold milk foam fully automated using the drink spout. As well different kinds of hot and cold milk foam textures



Basic Steam

Hot drinks, hot milk and hot milk foam - using the steam wand. Manual switching on and off.



Easy Steam

Hot drinks, hot milk and hot milk foam - using the steam wand. Automated switching off using the temperature sensor.



Auto Steam

Hot drinks, hot milk and hot milk foam in three quality grades - using the steam wand. Fully automated, switching off using the integrated temperature sensor.

Cleaning Systems



Basic Clean

With this manual system, the coffee machine is cleaned using a cleaning solution and water, before being rinsed with fresh water. The spout needs to be manually cleaned each day by placing it in a special cleaning fluid. For machines with Basic Milk or machines without milk systems.



Easy Clean

This fully automatic system for the Easy Milk system uses a special cleaning container and soluble cleaning tablets. After having connected the milk hose to the cleaning container, the machine dispenses water into the container, then cleans and rinses the machine automatically with the cleaning solution and steam. The milk foamer is cleaned manually once a week.



Plug+Clean

This patented system uses hot water and steam to clean the milk system by simply plugging the Plug+Clean adapter into the Plug+Clean socket of the machine/cooler. This eliminates the need to dismantle the milk foamer each day, reducing manual cleaning in the cleaning fluid to just once a week.

Click+Clean for WMF 1100 S The same cleaning system, the only difference is that the adapter has to be



attached to the machine's hot water spout.



Clean in Place

Our most advanced cleaning system operates in the same way as the Easy Clean system, but with the additional advantage that the milk foamer is also cleaned automatically by the system. It's the ultimate in user-friendly efficiency for all machines with Dynamic Milk system.

All cleaning systems are according to the model and configuration of the WMF coffee machine

Fresh Filtered Coffee

THE FINEST FILTERED COFFEE, FRESHLY BREWED CUP BY CUP.

With WMF's innovative Fresh Filtered Coffee option, for the first time you can serve fine coffee specialities and delicious fresh filtered coffee from a single machine!

Thanks to our new filter capsule system, each cup is freshly brewed from aromatic coffee beans and then smoothly filtered to remove sediments and oils. Because the system ensures a constant temperature and volume, every cup of filtered coffee is as wonderfully flavourful and fresh as the last.



AVAILABLE FOR WMF 5000 S+ AND WMF 1500 S+



YOUR BENEFITS OF FRESH FILTERED COFFEE:

- Coffee specialities and fresh filtered coffee from a single machine
- Always fresh filtered coffee of the highest quality, thanks to the constant temperature, volume and flavour
- Freshly brewed cup by cup
- Always the best coffee specialities, thanks to the various WMF milk systems
- Filter capsule for up to 100 cups or 3 days
- Minimal footprint for maximum variety
- Savings on your investment, energy and maintenance costs

Chilled Coffee

THE IDEAL CHILLED COFFEE SOLUTION, RAPIDLY SERVED FOR GREATER CHOICE.



Offer your customers a wide new range of speciality recipes with or without milk or syrups, thanks to the ingenious Chilled Coffee system available with the WMF 5000 S+.

It works by freshly brewing an individual cup of hot coffee then rapidly cooling it, providing a quick and smart way to prepare delicious iced coffee and other distinctive drinks. The result?

Not only does this save energy, it also means your chilled coffee beverages look and taste superb, with more ice or ice cream remaining intact.



5

WMF CoffeeConnect

COFFEE EXCELLENCE MEETS DIGITAL SOLUTIONS.



If you run a coffee business, you have probably wondered how you could improve its efficiency and profitability. But it may seem like a lot of effort. Perhaps you do not have the time to do the necessary analysis, or even access to the numbers you need.

With WMF CoffeeConnect, gathering data, understanding it and using it becomes almost effortless.

Join our digital world and discover how WMF CoffeeConnect can help you optimise your business.

ALL THE ADVANTAGES OF CONNECTED KNOWLEDGE MAIN BENEFITS





Visualization

- Business Performance Data
- Maintenance and Operation Data



Machine Management

- Centralised machine and user management
- Bi-directional communication



Deep Insights

- Standard reports
- Tailor-made analytics



Data Provisioning

- Providing system interfaces (APIs)
- Customer-specific implementation projects



Additional Tools

Media Pool



If your business is a hotel, restaurant, bar, coffee shop, office or catering company with a limited number of professional coffee machines, you can use WMF CoffeeConnect to add value by monitoring maintenance, operation, consumption and service data.

LARGE BUSINESS

If yours is a high-revenue organization with numerous coffee machines spread across a wide geographical area, you can take advantage of WMF CoffeeConnect to analyse and optimize your business performance.

OPERATOR

As an operator, you may be interested in functions that indicate the filling levels, consumption and tasks of your customers' professional coffee machines. WMF CoffeeConnect helps you increase uptime, optimize inventory management and trouble-shoot.

WMF espresso





Dimensions:

Width: 723 mm
Height: 580 mm
Depth: 540 mm
Depth with opened cup tray: 600 mm

Power supply

6 - 7 kW / 380 - 415 V

Recommended for an average daily requirement of **300** cups Hot water output up to **190** cups

03.5500.1001

2 integrated grinders, 2 bean hoppers, 2 brewing units, 1 Auto Steam + 1 Basic Steam, Steamlet, hot water spout, heated cup tray, LED illumination, 3 portafilters (different sizes for single or double cup), set of legs (50 mm), Dynamic Coffee Assist 12,300 €

Add-on kits	Item number	List pric	e / extra charge
☐ Additional set of legs (Height + 50 mm)	03.5599.3001	+	72€
☐ Set of milk jugs	03.9090.1001	+	168 €
☐ PEEK steam outlet	03.5598.4001	+	200 €
☐ Knock box W/H/D: 211/95/338 mm	03.9080.0002	+	240 €
Portafilters ☐ Single (8 – 11 g)	03.5596.5111	+	160 €
☐ Single XL (10 – 16 g)	03.5596.5121	+	175 €
☐ Double (10 – 16 g)	03.5596.5221	+	175 €
☐ Double XL (15 – 21 g)	03.5596.5231	+	230 €
☐ Base panel	03.9041.2001	+	245 €
Selectable additional optio	ns	List pric	ce / extra charg
□ 2 nd Auto Steam (without parallel operatio	n)	+	180 €
□ 2 nd Auto Steam PEEK (without parallel operatio	n)	+	385 €
☐ External large hopper¹ (without cup heating)		+	200 €
☐ Coloured foliation		+	750 €













Brushed Gold

Satin Pearl

Gloss Dragon Red Fire

Gloss Burnt Orange

Gloss Sunflower

Brushed Black

¹ = Machine height with larger bean containers 685 mm (with feet 735 mm)

WMF 900 S

OFFICE PACKAGE



Dimensions

 Width:
 305 mm

 Height:
 404 mm

 Depth:
 445 mm

 Clearance:
 67 – 141 mm

Power supply

1.7 - 2.3 kW / 230 V

03.0400.1021

2.000 €

Water tank, 1 grinder, milk foamer, hot water spout

WMF 1100 S

BASIC MODEL



Dimensions

Width: 325 mm Height: 500 mm Depth: 561 mm* Clearance: 100 - 175 mm

Power supply

1.9 - 2.3 KW / 220 - 240 V Hot water output 90 cups

Recommended for an average daily requirement of 80 cups

*The required depth changes due to milk hose guidance in connection with the following coolers: Depth for 03.9190.5003

631 mm* Depth for 03.9192.6013 / 03.9192.6023 / 03.9192.6043 / 03.9469.7012 / 03.9469.7022 616 mm*

Add-on kits	Item number	List pric	e / extra charge
☐ Milk lance	03.1197.8001	+	16,50 €
☐ Bean hopper extension lockable (1100 g) 1,2	03.1199.7001	+	120 €
☐ Powder hopper (Choc / Topping) extension lockable (2200 g) 1,2	03.1199.7201	+	120 €
☐ Grounds discharged through counter	03.1199.2001	+	150 €
☐ WMF CoffeeConnect	03.1999.0011	+	550 €

Basic model 1 / 03.1120.1111

Basic Milk, water tank, 1 grinder, hot water spout, Click+Clean, SteamJet

Basic model 2 / 03.1120.1311

3.890 €

3.590 €

Basic Milk, water tank, 1 grinder, 1 hopper, hot water spout, Click+Clean, SteamJet

Basic model 3 / 03.1120.1211

Basic Milk, water tank, 2 grinders, hot water spout, Click+Clean, SteamJet

3.990 €

Basic model 4 / 03.1120.0311 3.590 €

Topping, water tank, 1 grinder, 1 hopper, without steam boiler (no milk), hot water

Basic model 5** / 03.1120.0411

3.750 €

powder dispenser, without steam boiler (no milk). hot water

3.290 €

Additionally required

460 €

Basic model 6** / 03.1120.1411

4.050 €

Twin-Topping, Basic Milk, water tank, 1 grinder, preparation for double powder dispenser, hot water spout, Click+Clean, SteamJet

Twin-Topping, water tank, 1 grinder, preparation for double

03.1199.7301, double powder dispenser, lockable

Additionally required

3.590 €

03.1199.7301, double powder dispenser, lockable 460 €

**Machine prepared for double powder dispenser - price including instant fitting kit - double powder dispenser 03.1199.7301 - double powder dispenser and 2nd grinder or 1 powder hopper cannot be combined. Due to reasons of visual appearance we additionally recommend the bean hopper extension (03.1199.7001).

Selectable additional options:	Item number	List price / extr	a charge
☐ Basic Steam		+	110 €
☐ Fixed water connection kit	03.1198.6001	+	205 €
☐ Coloured foliation ³		+	515 €







Gloss Burnt Orange



Gloss Hotrod Red



Gloss Kelly Green

^{1 =} Capacity depends on coffee bean type / powder type in use

² = Attachable, please note, this changes the height to 580 mm

³ = Please note: Coloured foliation requires specific delivery time clarification

WMF 1500 S+

BASIC MODEL



C·1)

Dimensions

 Width:
 325 mm

 Height:
 716 mm

 Depth:
 590 mm

 Clearance:
 70 – 175 mm

Power supply

2.75 – 3.5 kW / 220 – 240 V Hot water output **120** cups

Recommended for an average daily requirement of **180** cups

Generally lockable hoppers and front panel

Add-on kits	Item number	List price / extra charge
☐ Set of legs (100 mm) ¹	03.1999.3001	+ 72 €
☐ Grounds discharged through counter ¹	03.1999.2001	+ 215 €

^{1 =} Legs and grounds discharged through counter cannot be combined

Basic model 1

03.1920.0050 7.295 €

Basic Milk, water tank, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout. Basic Clean, LED illumination, Dynamic Coffee Assist

Basic model 2

03.1920.0060 8.045 €

Basic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Pluq+Clean, LED illumination, Dynamic Coffee Assist

Basic model 3

03.1920.5000 8,195 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Easy Clean, LED illumination, Dynamic Coffee Assist

Basic model 4 03.1920.6010

8,895 €

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Clean in Place, LED illumination, automatically height-adjustable spout, Dynamic Coffee Assist

Selectable additional options:	List price	/ extra charge
☐ 2 nd grinder	+	520 €
☐ Choc / topping hopper	+	580 €
☐ Twin choc / twin topping	+	855 €
☐ Fresh Filtered Coffee ²	+	975 €
☐ Preparation for syrup station (Only available with Dynamic Milk system, or self-service configuration)	witho	out extra charge
☐ Self-service configuration for Dynamic Milk	+	30 €
☐ Self-service configuration for Basic and Easy Milk (with automatically height-adjustable spout)	+	180 €
Cup sensor (Only available with Dynamic Milk system, or self-service configuration)		250 €

² = Only available with fixed water connection and without SteamJet. Not available without steam boiler.

WMF 1500 S CLASSIC

BASIC MODEL



Dimensions

 Width:
 325 mm

 Height:
 675 mm

 Depth:
 590 mm

 Clearance:
 70 – 175 mm

Power supply

2.75 – 3.5 kW / 220 – 240 V Hot water output on right side **120** cups

Recommended for an average daily requirement of **180** cups

Add-on kits	Item number	List price / extra charge
☐ Set of legs (100 mm) ¹	03.1999.3001	+ 72 €
☐ Lockable hoppers (3 lids)	03.1999.7001	+ 165 €
☐ Grounds discharged through counter ¹	03.1999.2001	+ 215 €
☐ WMF CoffeeConnect	03.1999.0002	+ 550 €

Classic model 1 03.1900.7002 Basic Milk, water tank, 1 grinder, powder dispenser (Choc or Topping), Jet Option, Basic Steam, Basic Clean	6,525 €
Classic model 2 03.1900.7012 Basic Milk, fixed water connection, 1 grinder, powder dispenser (Choc or Topping), Jet Option, Basic Steam, Plug+Clean	7,295 €
Classic model 3 03.1900.7022 Basic Milk, water tank, 2 grinders, Jet Option, Basic Steam, Basic Clean	6,400 €
Classic model 4 03.1900.7038 Basic Milk, fixed water connection, 2 grinders, Jet Option, Basic Steam, Plug+Clean	7,170 €
Classic model 5 03.1900.7042 Basic Milk, water tank, 2 grinders, powder dispenser (Choc or Topping), Jet Option, Basic Steam, Basic Clean	6,995 €
Classic model 6 03.1900.7152 Basic Milk, fixed water connection, 2 grinders, powder dispenser (Choc or Topping), Jet Option, Basic Steam, Plug+Clean	7,765 €
Classic model 7 03.1900.7512 Easy Milk, fixed water connection, 1 grinder, powder dispenser (Choc or Topping), Basic Steam, Easy Clean	7,445 €
Classic model 8 03.1900.7532 Easy Milk, fixed water connection, 2 grinders, Basic Steam, Easy Clean	7,325 €
Classic model 9 03.1900.7552 Easy Milk, fixed water connection, 2 grinders, powder dispenser (Choc or Topping), Basic Steam, Easy Clean	7,915 €
Classic model 10 03.1900.7068 without milk system, fixed water connection, 2 grinders,	7,005 €

19

powder dispenser (Choc or Topping), Jet Option, Basic Clean

^{1 =} Legs and grounds discharged through counter cannot be combined

WMF 5000 S+

BASIC MODEL



Dimensions

 Width:
 325 mm

 Height:
 716 mm

 Depth:
 590 mm

 Clearance:
 66 – 172 mm

Power supply – hot water output

3.01 – 3.51 kW / 220 – 240 V – **160** cups 8.41 – 9.96 kW / 380 – 415 V – **280** cups

Recommended for an average daily requirement of **250** cups

Generally lockable hoppers and front panel

Add-on kits	Item number	List price / extra charge
☐ Set of legs (100 mm) ¹	03.1999.3001	+ 72 €
☐ Grounds discharged through counter ¹	03.1999.2001	+ 215 €

1 = Legs and grounds discharged through counter cannot be combined

² = Cannot be combined with Fresh Filtered Coffee

³ = Cannot be combined with Chilled Coffee and cannot be combined with Syrup

Basic model 1

03.1950.1001 10,015 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, hot water spout, Easy Clean, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 3.01 – 3.51 kW / 220 – 240 V

Basic model 2

03.1950.1601 10,375 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, hot water spout, Easy Clean, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout. 8.41 – 9.96 kW / 380 – 415 V

Basic model 3

03.1950.5001 10,565 €

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, hot water spout, Clean in Place, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 3.01 - 3.51 kW / 220 - 240 V

Basic model 4

03.1950.5601

10.925 €

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, hot water spout, Clean in Place , LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 8.41 – 9.96 kW / 380 – 415 V

Selectable additional options:	List price / extra charge
☐ Easy Steam (Auto Steam and Easy Steam cannot be combined)	+ 320 €
☐ 2-Milk solution (only for Dynamic Milk)	+ 360 €
☐ 2 nd grinder	+ 520 €
☐ Chilled Coffee ²	+ 565 €
☐ Choc / topping hopper	+ 580 €
☐ Auto Steam (Auto Steam and Easy Steam cannot be combined)	+ 710 €
☐ Twin choc / twin topping	+ 855€
☐ Fresh Filtered Coffee ³	+ 975 €
☐ Preparation for syrup station (only available with Dynamic Milk, cannot be combined with FFC)	without extra charge
☐ Cup Sensor	250 €

C·I)

WMF 9000 S+

BASIC MODEL



Dimensions

 Width:
 390 mm

 Height:
 744 mm

 Depth:
 598 mm

 Clearance:
 55 – 195 mm

Power supply – hot water output

3.4 - 3.8 kW / 220 - 240 V - **120** cups 6.0 - 7.0 kW / 380 - 415 V - **190** cups

Recommended for an average daily requirement of **350** cups

Generally lockable hoppers and front panel

Basic model 1 03.8810.0171

22

C-1)

15.285 €

Dynamic Milk, fixed water connection, 1 grinder, Clean in place, fully automatic cup tray, hot water spout, LED illumination, Dynamic Coffee Assist, 3.4 – 3.8 kW / 220 – 240 V

Selectable additional options:		List price	e / extra charge
<u> </u>	List price	·	
□ 6 – 7 kW / 380 – 415 V		+	160 €
☐ Easy Steam ¹		+	320 €
☐ 2-Milk solution		+	360 €
□ 3 rd grinder ²		+	460 €
☐ 4 th grinder ²	+	460 €	
☐ 1st choc / topping hopper ²	+	580 €	
☐ 2 nd choc / topping hopper ²		+	580 €
☐ Auto Steam ¹		+	710 €
☐ 2 nd grinder (heavy duty) ²		+	825 €
☐ Preparation for syrup station		with	out extra charge
Add-on kits	Item number	List price	e / extra charge
☐ Set of legs (100 mm) ³	03.8899.3001	+	72 €
☐ Grounds discharged through counter ³	03.8899.2001	+	215 €

^{1 =} Auto Steam and Easy Steam cannot be combined

² = Maximum of 4 hoppers per coffee machine

³ = Legs and grounds discharged through counter cannot be combined

WMF 1200 F

BASIC MODEL



Dimensions

 Width:
 324 mm

 Width with brew arm:
 372 mm

 Height:
 682 mm

 Depth:
 599 mm

 Clearance:
 60 - 165 mm

Power supply

2.7 - 3.7 kW / 220 - 240 V Hot water output **160** cups

Recommended for an average daily requirement of **180** cups

Add-on kits	Item number	List price / extra charge
☐ Set of legs (100 mm) ¹	03.1299.0001	+ 72 €
☐ Grounds discharged through counter ¹	03.1299.2001	+ 215 €
☐ Automatic post-brewing function ²	03.1297.9001	+ 275€
☐ Brew arm pullout right/left	03.1298.9001	+ 360 €



Basic model 1 03.1210.0105

Fixed water connection,
1 grinder lockable

3.745 €

4.005 €

4,105 €

4.365 €

300 €

25



Basic model 2 03.1210.0211

Fixed water connection, 2 grinders lockable



Basic model 3 03.1210.0304

Fixed water connection,
1 grinder lockable,
brew arm on the right, jug tray



Basic model 4 03.1210.0403

Fixed water connection, 2 grinders lockable, brew arm on the right, jug tray



03.6299.0001

Thermal container, 2.4 litres

1 = Legs and grounds discharged through counter cannot be combined

² = Only possible for machines with brew arm pullout on the right

WMF 9000 F **External Storage**



Dimensions

Width: 450 mm Height: 782 mm Depth: 605 mm

Pot brewing arm

Clearance: 398 mm Diameter pot: max. 175 mm

Power supply

coffee or hot water output per hour 8.5 - 10.1 kW / 380 - 415 V

approx. 72 litres

12.4 - 14.7 kW / 380 - 415 V

approx. 110 litres

Generally lockable hoppers and front panel

Basic model 1 03.8900.0010

C·I)

13.315 €

Fixed water connection, 2 ground coffee hoppers, 10-inch multimedia touch display, quantity brewing arm, pot brewing arm (pots of up to 2.8 litres) automatic cleaning granulate dosing

Power supply 8.5 - 10.1 kW / 380 - 415 V

Basic model 2 03.8900.0020

13.915 €

Fixed water connection, 2 ground coffee hoppers, 10-inch multimedia touch display, quantity brewing arm, pot brewing arm (pots up to 2.8 litres) automatic cleaning granulate dosing

Power supply 12.4 - 14.7 kW / 380 - 415 V



Heated thermal container 201 03.6621.0001

with post-brewing function

Max. capacity 20 litres. Made of double-walled stainless steel, seamlessly welded. Integrated gauge glass with aluminium casing. No-drip stainless steel tap.



Heated thermal container 401 03.6641.0001

with post-brewing function

Max. capacity 40 litres. Made of double-walled stainless steel, seamlessly welded. Integrated gauge glass with aluminium casing. No-drip stainless steel tap.



Thermal container 2.41 03.6299.0001

300 €

1.950 €

2.790 €

Accessory for variants of WMF 9000 F with brewing arm pullout

Selectable additional option:	List price / extra charge	
☐ Set of legs (100 mm)	+	72 €

Add-on kits	Item number	List price / extra charge		
☐ Spout for pot brewing arm 145 mm	33.4240.5000	+ 35 €		
☐ Set of legs for thermal container 167 mm	03.6699.3011	+ 72 €		
☐ Quantity spout 115 mm	33.1750.3000	+ 95 €		
☐ Quantity spout 166 mm	33.9885.5000	+ 135 €		
☐ Quantity spout 340 mm	33.9838.3000	+ 145 €		

WMF 9000 F Internal Storage



Dimensions

 Width:
 450 mm

 Height:
 782 mm

 Depth:
 605 mm

Pot brewing arm

Clearance: 398 mm Diameter pot: max. 175 mm

Power supply

coffee or hot water output per hour 8.5 – 10.1 kW / 380 – 415 V approx. **480** cups 12.4 – 14.7 kW / 380 – 415 V approx. **720** cups

Recommended for an average daily requirement of **500** cups

Generally lockable hoppers and front panel

Basic model 1 03.8900.5010

8900.5010 14,315 €

Fixed water connection, 1 ground coffee portioner,

10-inch multimedia touch display, 1 integrated 4-litres coffee urn,

pot brewing arm (pots of up to 2.8 litres), automatic cleaning granulate dosing

Power supply 8.5 – 10.1 kW / 380 – 415 V

Basic model 2 03.8900.5020

14.915 €

Fixed water connection, 1 ground coffee portioner, 10-inch multimedia touch display, 1 integrated 4-litres coffee urn, pot brewing arm (pots of up to 2.8 litres), automatic cleaning granulate dosing **Power supply** 12.4 – 14.7 kW / 380 – 415 V



Thermal container 2.4l 03.6299.0001

300 €

Accessory for variants of WMF 9000 F with brewing arm pullout

Add-on kits	Item number	List price / extra charge
☐ Spout for brewing arm 145 mm	33.4240.5000	+ 35 €

Selectable additional option:	ional option: List price / extra charge		
☐ Set of legs (100 mm)		+	72 €

C·)

WMF Auxiliary Units

Cup rack



Cup rack narrow

for 60 – 260 cups / mugs, illumination, 4 heatable shelves, for all coffee machines **Dimensions:** W / H / D: 286 / 530 / 539 mm

W / H / D: 286 / 530 / 539 mr Power supply 220 – 240 V

03.9020.0102

03.1499.3001, set of legs (100 mm)

Cup & Cool



Cup & Cool narrow

for 45 – 190 cups / mugs, stackable, 4.5 litres milk tank, illumination, lockable, seal can be removed, 3 heatable shelves, for all bean-to-cup machines except WMF 1100 S **Dimensions:**

W / H / D: 286 / 530 / 566 mm

Power supply 220 – 240 V 03.9021.5011 2,628 € 03.9021.5021 2,910 €

Milk empty message, sensor for milk temperature

03.1499.3001, set of legs (100 mm)



Cup rack wide

for 88 – 320 cups / mugs, illumination, 4 heatable shelves, for all coffee machines

Dimensions:

W / H / D: 368 / 530 / 539 mm Power supply 220 – 240 V

03.9020.0002

03.1499.3001, set of legs (100 mm)

1,992 € 72 €

1.242 €

72 €



Cup & Cool wide

for 45 – 130 cups / mugs, stackable 9.5 litres milk tank, illumination, lockable, seal can be removed, 2 heatable shelves, for all bean-to-cup machines

Dimensions:

W / H / D: 368 / 530 / 565 mm

Power supply 220 – 240 V

 03.9021.6012
 3,354 €

 03.9021.6022
 3,750 €

Milk empty message, sensor for milk temperature 03.9021.6042 4.158 €

Milk empty message, sensor for milk temperature, milk hose conduction at the right or left side is possible

milk hose conduction at the right or left side is possible 03.1499.3001, set of legs (100 mm) 72 €

72 €

Cooler



Countertop cooler

up to 3.5 I milk, generally lockable, with removable seal, for all bean-to-cup machines

Dimensions:

W / H / D: 228 / 344 / 469 mm Power supply 220 - 240 V

03.9190.0003	858 €
03.1299.0001, set of legs (100 mm)	72 €



Countertop cooler

up to 3.5 l milk, digital thermostat, generally lockable, removable seal, for all bean-to-cup machines (Depth for WMF 1100 S see page 14)

Dimensions:

W / H / D: 228 / 392 / 463 mm Power supply 220 - 240 V

03.9190.5003	1,218 €
03.1299.0001, set of legs (100 mm)	72 €



Countertop cooler

up to 6.5 I milk, generally lockable, with removable seal for all bean-to-cup machines (Depth for WMF 1100 S see page 14)

Dimensions:

W / H / D: 230 / 353 / 530 mm Power supply 220 - 240 V

03.9192.6013 1.680 € 03.9192.6023 2,082 € Milk empty message, sensor for milk temperature

03.9192.6043

2.226 € Milk empty message, sensor for milk temperature,

milk hose conduction at the right or left side is possible 72 €

03.1499.3001, set of legs (100 mm)

Cooler



Undercounter cooler for WMF 9000 S+

up to 9.5 I milk, generally lockable, removable seal, for WMF 9000 S+

Dimensions: W / H / D: 406 / 265 / 539 mm

Power supply 220 - 240 V

03.9468.6012	2,298 €
03.9468.6022	2,700 €
Milk empty message, sensor for milk temperature	
03.1499.3001, set of leas (100 mm)	72 €



Countertop cooler

up to 9.5 I milk, generally lockable, removable seal, milk hose conduction at the right or left side is possible, for all bean-to-cup machines (Depth for WMF 1100 S see page 14)

Dimensions: W / H / D: 336 / 280 / 533 mm

Power supply 220 - 240 V

03.9469.7012 2.298 € 2.700 € 03.9469.7022 Milk empty message, sensor for milk temperature

03.1499.3001, set of legs (100 mm)



Under-machine cooler

up to 9.5 I milk, generally lockable, removable seal. for all bean-to-cup machines except WMF 1100 S. for WMF 9000 S+ only for under counter use Dimensions:

W / H / D: 345 / 300 / 539 mm

Power supply 220 - 240 V 03.9469.6012

03.9469.6022 2.700 € Milk empty message, sensor for milk temperature 03.9469.6032 2.826 €

2-Milk solution, milk empty message, sensor for

milk temperature

03.1499.3001, set of legs (100 mm)

72 €

2,298 €

72 €

Cooler





Countertop cooler

up to 10.5 l milk, generally lockable, with removable seal, for all bean-to-cup machines (except Basic Milk machines and WMF 1100 S), milk hose conduction at the right or left side is possible

Dimensions:

W / H / D: 261 / 530,5 / 469 mm

03.9022.6051 1,980 €
03.9022.6041 2,376 €
Milk empty message, sensor for temperature
03.9022.6061 2,148 €

03.1999.3001, set of legs (100 mm) **72 €**

Syrup



Syrup station

for WMF 1500 S+, 5000 S+ and 9000 S+, for up to four different syrup bottles, generally lockable, with removable seal.

The coffee machines must be pre-configured by the manufacturer!

Dimensions:

W / H / D: 261 / 530.5 / 469 mm 03.9023.0001 3,540 € 03.1999.3001, set of legs (100 mm) 72 €

Milk tank



Milk tank

removable for standard refrigerators, up to 18 l milk, polycarbonate, includes frame and milk empty message, standpipe and Plug+Clean hose adapter

Dimensions:

W / H / D: 460 / 280 / 310 mm

03.9499.0001 576 €

Grounds separator



Grounds separator

incl. grounds container, capacity 12 litres, weight: approx. 12 kg

Dimensions:

W / H / D: 314 / 579 / 440 mm **Dimensions grounds container:** W / H / D: 290 / 290 / 290 mm

03.9011.0002

1,770 €

Supplement grounds separator

03.9011.1001 Additional grounds container

330 €

Cup dispenser



Paper cup dispenser

for stand-alone use or on top of the countertop cooler 9192, applicable for 2 packs of paper cups with a length of 390 mm each, for paper cups with \emptyset 60 - 90 mm, stackable (up to 3 cup dispensers), for all coffee machines **Dimensions:**

W / H / D: 230 / 192 / 500 mm

03.9199.0003 420 €

Mobile coffee stations



Mobile coffee station 125+ (wide)1

for WMF 1200 F, 1500 S+, 1500 S Classic, 5000 S+ and 9000 S+

incl. technical group 03.9493.0002

Nominal output / Power supply 3,3 kW / 230 V, generally for 230 V versions only

Dimensions:

W / H / D: 1250 / 900 / 780 mm

03.9491.0215 3,798 € 03.9491.0220. 4.014 €

with integrated grounds drawer Basic

03.9491.0221, 4,392 €

with integrated grounds drawer and telescopic pull-out



Mobile coffee station 85+ (narrow)1

for WMF 1200 S, 1200 F, 1500 S+, 1500 S Classic, 5000 S+, 5000 S. 8000 S and 9000 S+

incl. technical group 03.9493.0002

Dimensions:

W / H / D: 850 / 900 / 780 mm

For coffee machines with power supply 220 - 240 $\rm V$

03.9491.0201 3,606 € 03.9491.0210² 3,822 €

with integrated grounds drawer basic

03.9491.0211² 4,200 €

with integrated grounds drawer with telescopic pull-out

Advice concerning mobile coffee stations:

Mobile station prepared for fixation of the coffee machines WMF 1500 S Classic, 1500 S+ und 5000 S+.

In case of use with the coffee machines 1200 F and 9000 S+ during order entry the requested combination incl. arrangement needs to be stated in the production memo! With the option "Grounds through counter" please consider this as well for the configuration of the coffee machine!

Coffee station



Coffee station 58

for WMF 1100 S, with inlay shelf

Dimensions:

W / H / D: 580 / 900 / 600 mm

03.9494.10012

03.9494.1201², incl. integrated grounds drawer 1,398 €

1.176 €

Coffee station 58+

for WMF 1100 S, without inlay shelf

03.9494.1101², incl. technical group 03.9493.002 **2,154** € **03.9494.1301**². **2.382** €

incl. technical group 03.9493.002 and integrated grounds drawer

Technical group



Technical group

with external booster pump, fresh water tank, waste water tank, for WMF espresso, 1100 S, 1200 S, 1200 F, 1500 S+, 1500 S Classic, 5000 S+, 9000 S+

Dimensions:

W / H / D: 525 / 620 / 540 mm Fresh water tank: 25 litres Waste water tank: 13 litres

03.9493.0002 954 €

Special versions accounting systems etc.

Serial interfaces	Item number	List price / extra charge
WMF espresso	modular ³	410 €
WMF 1100 S ⁴	03.1199.5001 5	410 €
WMF 1500 S+	modular ³	410 €
WMF 5000 S+	modular ³	410 €
WMF 9000 S+	modular ³	410 €
WMF 9000 F Internal Storage	modular ³	410 €

^{3 =} Article number creation starts when configuring the article

36 WMF PRICE LIST 2020 Recommended prices of WMF Group GmbH 37

¹ = Please absolutely state exact combination and arrangement (machine and cooler) in production memo of order.

²= During order entry the requested combination incl. arrangement needs to be stated in the production memo! The coffee machine additionally requires the option "Grounds through counter".

⁴ = Additional MDB connections not possible

^{5 =} Instant fitting kit

Water filter stets



Water filter WMF Aqua Basic V

incl. WMF filter head (including connections and water filter cartridge size V) recommended for WMF 1100S and 1200S 03.9336.0100

270 €

Water filter capsules





WMF AquaBasic V Dimensions: Ø 110 mm. Height 420 mm 33.9533.0000

95 €



Water filter WMF Agua Basic M

incl. WMF filter head (including connections and water filter cartridge size M) recommended for WMF 1500 S. 1500 S+ and 1200 F 03.9336.0200

294 €



WMF AquaBasic M Dimensions: Ø 130 mm, Height 475 mm 33.9533.1000

115 €



Water filter WMF Aqua Basic XL

incl. WMF filter head (including connections and water filter cartridge size XL) recommended for WMF 5000 S, 5000 S+, 9000 S+ and cafemat! 03.9336.0300

369.60 €



WMF AguaBasic XL

Dimensions: Ø 147 mm, Height 502 mm 33.9533.2000

175 €



Water filter WMF Aqua Basic 2XL

incl. WMF filter head (including connections and water filter cartridge size 2XL) recommended for WMF 5000 S, 5000 S+, 9000 S+, cafemat!, 9000 F External Storage and 9000 F Internal Storage. 03.9336.0400

468 €



WMF AquaBasic 2XL

Dimensions: Ø 183 mm, Height 580 mm 33.9533.3000

255 €

For WMF 9000 F External and Internal Storage an installation kit 33.9532.2000 will additionally be required due to the higher flow.

Notice

Water filter



1 tank filter (Unit price 20,60 €) WMF 900 S with water tank

20,60 €



4 tank filters
(Unit price 20,60 €)
WMF 1100 S, 1200 S, 1400 S and 1500 S with water tank
(Packing unit: 4 pieces)
33.2332.2000
82,40 €

Filter Capsules for Fresh Filtered Coffee

14.0701.9990



Filter Capsules for Fresh Filtered Coffee WMF 1500 S+, 5000 S+ Packing unit: 84 pieces 33.4207.7000

210 €

Consumables

					Bean-to-cup						Filter			
					WMF espresso	WMF 900 S	WMF 1100 S	WMF 1500 S+	WMF 1500 S Classic	WMF 5000 S+	WMF 5000 S	WMF 9000 S+	WMF 1200 F	WMF 9000 F
Item Number	Description	Quantity / carton	Quantity pallet	List price piece										
03.1197.8001	Milk lance for milk removal from milk carton, incl. cleaning brush	1 set		16,50 €			х							
33.2332.4000	Cleaning tablets (1.3 g)	12 cans (each 100 tablets)	180 cartons	15,00 €	х	х	х	х	х	х	х	х	х	
33.2622.0000	Cleaning tablets (Easy Milk / Active Milk)	4 cans (each 100 tablets)	different	35,00 €				х	х	х	х	х		
33.2118.6000	Cleaning granulate	12 cans (each 1 kg)	40 cartons	26,00 €										х
33.0683.6000	Special cleaner for milk foamer	8 bottles (each 1 litre)	48 cartons	10,00 €	х	х	х	х	х	х	х	х		
33.7006.2869	Descaling solution	2 bottles (each 0.75 litre)	200 cartons	5,90 €		х	х	х	х	х	х		х	
33.0680.8000	Descaling powder	12 cans (each 1 kg)	40 cartons	10,29 €	х							х		
33.2179.9000	Grease Molykote	1 tube (each 9 g)	-	3,39 €		х	х	х	х	х	х	х	х	