




WMF PROFESSIONAL COFFEE MACHINES

PRICE LIST 2024



Contents

4	20
Milk / Steam Systems	WMF 1300 S
5	22
Cleaning Systems	WMF 1500 S+
6	24
WMF CoffeeConnect	WMF 5000 S+
7	26
WMF 1500 F	WMF 9000 S+
8	28
WMF espresso NEXT NEW	WMF 1500 F NEW
12	30
WMF espresso	WMF 9000 F
14	34
WMF 950 S	WMF Accessory Equipment
16	46
WMF 1100 S OFFICE NEW	WMF CoffeeConnect
18	48
WMF 1100 S	WMF Cleaners

Milk / Steam Systems



BASIC
MILK

Basic Milk

The Basic Milk system is the perfect choice for all classic coffee specialities such as cappuccino, latte macchiato and latte, which are prepared with hot milk and hot milk foam.



EASY
MILK

Easy Milk

Enabling you to tap into the market for cold milk mixed beverages as well as hot coffee specialities, the Easy Milk system automatically dispenses cold milk as well as hot milk or hot milk foam via the beverage spout.



SMART
MILK

Smart Milk

It's never been easier to serve a wide variety of cold milk mixed beverages and hot coffee specialities. The innovative WMF Smart Milk system automatically dispenses cold milk and warm milk as well as fine-pored warm milk foam, directly from the beverage spout.



DYNAMIC
MILK

Dynamic Milk

WMF's Dynamic Milk system offers an even wider range of possibilities, allowing the fully automatic production of 4 different consistencies of hot milk foam and 3 variations of cold milk foam, as well as hot and cold milk. So you can always offer your customers the perfect milk foam for each coffee creation.



BASIC
STEAM

Basic Steam

This system can be used to quickly and easily warm a variety of beverages from hot chocolate to mulled wine, and to heat and froth milk manually if requested by your customer.



EASY
STEAM

Easy Steam

Designed to prepare hot beverages or to manually froth milk from an external source, this system features a semi-automatic steam wand that switches off on reaching the prescribed temperature, making traditional milk frothing much easier.



AUTO
STEAM

Auto Steam

The separate steam wand of the Auto Steam system allows users to customise milk foam density for each individual coffee creation, and produces three different types of milk foam completely automatically at the side. The system also makes it simple to heat milk and prepare a variety of hot beverages.

Cleaning Systems



BASIC
CLEAN

Basic Clean

With this manual system, the coffee machine is cleaned using a cleaning solution and water, before being rinsed with fresh water. The spout needs to be manually cleaned each day by placing it in a special cleaning fluid. For machines with Basic Milk or machines without milk systems.



EASY
CLEAN

Easy Clean

This fully automatic system for the Easy Milk system uses a special cleaning container and soluble cleaning tablets. After having connected the milk hose to the cleaning container, the machine dispenses water into the container, then cleans and rinses the machine automatically with the cleaning solution and steam. The milk foamer is cleaned manually once a week.



PLUG
+CLEAN

Plug+Clean

This patented system uses hot water and steam to clean the milk system by simply plugging the Plug+Clean adapter into the Plug+Clean socket of the machine/cooler. This eliminates the need to dismantle the milk foamer each day, reducing manual cleaning in the cleaning fluid to just once a week.

Click+Clean

With the **Click+Clean** system for the **WMF 1100 S** the adapter has to be attached to the machine's hot water spout instead.



CLEAN
IN PLACE

Clean in Place

Our most advanced cleaning system operates in the same way as the Easy Clean system, but with the additional advantage that the milk foamer is also cleaned automatically by the system. It's the ultimate in user-friendly efficiency for all machines with Dynamic Milk system.



SMART
CLEAN

Smart Clean

Thanks to Smart Clean, daily cleaning involves only minimal effort, and system cleaning with Clean in Place is only required after 250 brewings or at the latest after 7 days. With this system, there is no need to manually remove and dismantle the spout for cleaning.



AUTO
CLEAN

WMF AutoClean

WMF AutoClean eliminates the need for manual cleaning of the coffee and milk systems. Cleaning granulate for the coffee system is stored in the machine and only needs to be replaced once every 60 cleaning cycles, while cleaning liquid for the milk system lasts 40 cycles. Both are dosed automatically. After the cleaning cycle has been configured just once, the machine will clean itself automatically at the chosen time.



**Gain
Transparency**

**Optimise
workflows**

**Realise
innovations**

**TAKE YOUR BUSINESS INTO THE FUTURE OF
WITH WMF COFFEE CONNECT.**

 **WMF CoffeeConnect**

With our WMF CoffeeConnection, we take your coffee machines to the next level through connectivity. It allows problem-free communication between your coffee machines and other systems or devices, enabling you to improve the customer experience. Our wide portfolio of digital solutions gives you insight into machine data, allowing you to optimise processes, boost the performance of your fleet and find completely new business models.

WMF 1500 F.

JUST SEVEN SECONDS AWAY FROM FRESHLY BREWED COFFEE QUALITY.



WMF espresso NEXT

AUTOMATED PASSION IN EVERY STEP OF THE PROCESS.



CONSISTENT QUALITY – COFFEE AFTER COFFEE.

- Time-consuming and error-prone tasks are automated.
- Two integrated grinders with precision-ground grinding disks enable fine grinding for different coffee variations.
- The WMF Auto Steam offers the convenience of automatically producing different milk foam consistencies for every type of milk.

PERFORM LIKE A BARISTA.

- High-quality coffee preparation through fully automated processes, meaning that no prior knowledge or extensive training is required.
- The consistent milk foam quality enables outstanding latte art creations.
- In terms of design, sound and brewing process, the machine resembles a traditional portafilter.



BOOST YOUR BUSINESS.

- Simplifying the preparation steps leaves more time for customers.
- Increased efficiency through parallel beverage preparation.
- Better customer loyalty and increased revenue due to shorter waiting times.
- Use the exact amount of milk with the "Auto Milk Dosing" system.



Cafe

AUTOMATED DOSING AND TAMPING

ensures precise dosage and pressure every time, delivering 100 % consistent results.

AUTO MILK DOSING

produces zero waste, as the perfect amount of milk is dosed directly into the jug and can be frothed immediately.

DYNAMIC COFFEE ASSIST

For a consistently correct grind with perfect dosage.

HIGH GRADE MATERIALS
Made in Germany.

TWO SEPARATE PORTAFILTERS WITH PORTAFILTER RECOGNITION

with menu-driven operation are faster processes, a lower error rate and higher revenues are guaranteed.

TWO SEPARATE DISPLAY SCREENS

– one for each brewing group.

ONE TOUCH AMERICANO FUNCTION

– as easy as it gets.

WMF espresso NEXT



Similar to illustration /
may contain special equipment

Dimensions

Width:	790 mm
Height:	625 mm
Depth:	540 mm
Depth with open cup tray:	600 mm
Clearance height:	
for single spout	140 mm
for double spout	135 mm
With fold-out cup table:	
for single spout	82 mm
for double spout	78 mm
for hot water	214 mm

Power supply – hot water output

6 – 7 kW / 380 – 415 V – 190 cups

Recommended for an average daily
requirement of **300** cups

03.5600.0015

15,900 €

2 integrated grinders, 2 bean hoppers, 2 brewing units, 1 Auto Steam left + 1 Basic Steam right, Steam Jet, hot water spout, heated cup tray, LED illumination, Dynamic Coffee Assist, 3 portafilters (1 x Single, 2 x Double)

03.5600.0016

16,150 €

2 integrated grinders, 2 bean hoppers, 2 brewing units, 1 Auto Steam left + 1 Basic Steam right, Steam Jet, hot water spout, heated cup tray, LED illumination, Dynamic Coffee Assist, Americano function, 3 portafilters (1 x Single, 2 x Double)

03.5600.1010

16,350 €

2 integrated grinders, 2 bean hoppers, 2 brewing units, 1 Auto Steam left + 1 Basic Steam right, Steam Jet, hot water spout, heated cup tray, LED illumination, Dynamic Coffee Assist, Auto Milk Dosing left, 3 portafilters (1 x Single, 2 x Double)

03.5600.1011

16,600 €

2 integrated grinders, 2 bean hoppers, 2 brewing units, 1 Auto Steam left + 1 Basic Steam right, Steam Jet, hot water spout, heated cup tray, LED illumination, Dynamic Coffee Assist, Auto Milk Dosing left, Americano function, 3 portafilters (1 x Single, 2 x Double)



Selectable additional options	List price / extra charge
<input type="checkbox"/> Auto Steam PEEK	+ 215 €
<input type="checkbox"/> Second Auto Steam	+ 250 €
<input type="checkbox"/> Second Auto Steam PEEK	+ 465 €
<input type="checkbox"/> Preparation for undercounter cooler in combination with Auto Milk Dosing	+ 250 €
<input type="checkbox"/> Bean container extension (without cup heating)	+ 250 €
<input type="checkbox"/> Auto Milk Dosing left	+ 450 €
<input type="checkbox"/> Auto Milk Dosing left and right (only with second Auto Steam) ¹	+ 900 €
<input type="checkbox"/> Americano (always on both brewing groups)	+ 250 €
<input type="checkbox"/> Coloured foiling side panel ²	+ 450 €
<input type="checkbox"/> Coloured foiling rear panel ²	+ 400 €
<input type="checkbox"/> Coloured foiling entire machine ²	+ 850 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of milk jugs	03.9090.1001	+ 170 €
<input type="checkbox"/> Knock box W / H / D: 211 / 95 / 338 mm	03.9080.0002	+ 235 €
<input type="checkbox"/> Auto-Steam volume nozzle for larger quantities of milk	33.4708.1000	+ 42 €
<input type="checkbox"/> Auto-Steam volume nozzle for larger quantities of milk PEEK	33.2658.7100	+ 50 €
<input type="checkbox"/> Portafilter Single (8 – 11 g)	03.5696.5111	+ 195 €
<input type="checkbox"/> Portafilter Single L (10 – 16 g)	03.5696.5121	+ 205 €
<input type="checkbox"/> Portafilter Single XL (15 – 21 g)	03.5696.5131	+ 250 €
<input type="checkbox"/> Portafilter Double L (10 – 16 g)	03.5696.5122	+ 205 €
<input type="checkbox"/> Portafilter Double XL (15 – 21 g)	03.5696.5132	+ 250 €

¹ Price without second Auto Steam

² Please note: Coloured foilation requires specific delivery time clarification

WMF espresso



Dimensions

Width:	723 mm
Height:	580 mm
Depth:	540 mm
Depth with opened cup tray:	600 mm

Power supply - hot water output

6 - 7 kW / 380 - 415 V - 190 cups

Recommended for an average daily requirement of 300 cups



Similar to illustration / may contain special equipment

03.5500.1001

2 integrated grinders, 2 bean hoppers, 2 brewing units, 1 Auto Steam, 1 Basic Steam, SteamJet, hot water spout, heated cup tray, LED illumination, 3 portafilters (2 x Standard Double, 1 x Standard Single), set of feet (50 mm), Dynamic Coffee Assist

14,950 €

Selectable additional options	List price / extra charge
<input type="checkbox"/> 2 nd Auto Steam (without parallel operation)	+ 215 €
<input type="checkbox"/> 2 nd Auto Steam PEEK (without parallel operation)	+ 445 €
<input type="checkbox"/> External large hopper ¹ (without cup heating)	+ 235 €
<input type="checkbox"/> Coloured foliation ²	+ 865 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Additional set of feet (Height + 50 mm)	03.5599.3001	+ 85 €
<input type="checkbox"/> Set of milk jugs	03.9090.1001	+ 170 €
<input type="checkbox"/> PEEK Steam outlet	03.5598.4001	+ 230 €
<input type="checkbox"/> Knock box W / H / D: 211 / 95 / 338 mm	03.9080.0002	+ 235 €
<input type="checkbox"/> Base panel	03.9041.2001	+ 290 €
Portafilters		
<input type="checkbox"/> Single (8 – 11 g)	03.5596.5111	+ 190 €
<input type="checkbox"/> Single L (10 – 16 g)	03.5596.5121	+ 205 €
<input type="checkbox"/> Double (10 – 16 g)	03.5596.5221	+ 205 €
<input type="checkbox"/> Double XL (15 – 21 g)	03.5596.5231	+ 250 €

Coloured foliation as an additional option (example)



¹ Machine height with larger bean hoppers: 685 mm (with feet 735 mm)

² Please note: Coloured foliation requires specific delivery time clarification

WMF 950 S



Dimensions

Width:	303 mm
Height:	562 mm ¹
Depth:	528 mm
Clearance:	75 – 155 mm

Power supply

2,6 – 2,8 kW / 220 – 240 V

Recommended for an average daily requirement of **50** cups

Similar to illustration / may contain special equipment

For fixed water connection, a supply and waste water hose including the necessary connection material is included in the accessories.

03.0950.0046

1,875 €

Basic Milk, water tank, 1 grinder, hot water spout, Click+Clean

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Milk lance	03.1197.8001	+ 19.50 €
<input type="checkbox"/> Waterfilter: 4 tank filters	33.7614.4000	+ 76.40 €

Find more
information
here



¹ incl. bean hopper



WMF 1100 S OFFICE

SPECIAL MODEL



Dimensions

Width:	325 mm
Height:	500 mm
Depth:	571 mm*
Clearance:	100 – 175 mm

Power supply - hot water output

1.9 – 2.3 KW / 220 – 240 V - 90 cups

Recommended for an average daily requirement of **80** cups

Similar to illustration / may contain special equipment

*The required depth changes due to milk hose guidance in connection with the following coolers:

Depth for 03.9190.5003

631 mm

Depth for 03.9192.6013 / 03.9192.6023 / 03.9192.6043 / 03.9469.7012 / 03.9469.7022

616 mm

03.1120.6002

3,495 €

Basic Milk, water tank, 1 grinder, decentralized hot water spout,
Click + Clean, black¹

Accessories	Art.-Nr.	Preise/Aufpreise
<input type="checkbox"/> Water filter: 4 tank filters	33.2332.2000	+ 100,20 €

Add-on kits	Art.-Nr.	Preise/Aufpreise
<input type="checkbox"/> Milk lance	03.1197.8001	+ 19,50 €
<input type="checkbox"/> Bean hopper extension lockable (1100 g) ³	03.1199.7001	+ 140 €
<input type="checkbox"/> Grounds discharged through counter ⁴	03.1199.2001	+ 190 €
<input type="checkbox"/> Fixed water connection kit	03.1398.6001	+ 240 €
<input type="checkbox"/> WMF CoffeeConnect	03.1999.0011	+ 640 €

¹ Only available in the given configuration and colour.

² Capacity depends on coffee bean type in use

³ Attachable, please note, this changes the height to 555 mm

⁴ Feet and grounds discharged through counter cannot be combined

**SPECIAL
MODEL
IN BLACK**



WMF 1100 S

BASIC MODEL



Dimensions

Width:	325 mm
Height:	500 mm
Depth:	561 mm*
Clearance:	100 – 175 mm

Power supply – hot water output

1.9 – 2.3 KW / 220 – 240 V - 90 cups

Recommended for an average daily requirement of 80 cups

Similar to illustration / may contain special equipment

*The required depth changes due to milk hose guidance in connection with the following coolers:

Depth for 03.9190.5003	631 mm
Depth for 03.9192.6013 / 03.9192.6023 / 03.9192.6043 / 03.9469.7012 / 03.9469.7022	616 mm

Basic model 1

03.1120.1111

4,375 €

Basic Milk, water tank, 1 grinder, hot water spout, Click+Clean, SteamJet

Basic model 2

03.1120.1311

4,705 €

Basic Milk, water tank, 1 grinder, 1 powder hopper, hot water spout, Click+Clean, SteamJet

Basic model 3

03.1120.1211

4,820 €

Basic Milk, water tank, 2 grinders, hot water spout, Click+Clean, SteamJet

Basic model 4

03.1120.0311

4,375 €

Topping, water tank, 1 grinder, 1 powder hopper, without steam boiler (no milk), hot water, Click+Clean,

Basic model 5****03.1120.0411** **4,580 €****Twin-Topping**, water tank, 1 grinder, preparation for double powder dispenser, without steam boiler (no milk), Click+Clean, hot water 4,045 €

If additionally required, please order separately

03.1199.7301, double powder dispenser, lockable 535 €**Basic model 6******03.1120.1411** **4,910 €****Twin-Topping, Basic Milk**, water tank, 1 grinder, preparation for double powder dispenser, hot water spout, Click+Clean, SteamJet 4,375 €

If additionally required, please order separately

03.1199.7301, double powder dispenser, lockable 535 €

**Machine prepared for double powder dispenser - price including instant fitting kit - double powder dispenser 03.1199.7301 - double powder dispenser and 2nd grinder or 1 powder hopper cannot be combined. Due to reasons of visual appearance we additionally recommend the bean hopper extension (03.1199.7001).

Selectable additional options	List price / extra charge
<input type="checkbox"/> Basic Steam	+ 120 €
<input type="checkbox"/> Coloured foliation ³	+ 640 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Milk lance	03.1197.8001	+ 19.50 €
<input type="checkbox"/> Bean hopper extension lockable (1,100 g) ^{1, 2}	03.1199.7001	+ 140 €
<input type="checkbox"/> Powder hopper (choc / topping) extension lockable (2,200 g) ^{1, 2}	03.1199.7201	+ 140 €
<input type="checkbox"/> Grounds discharged through counter	03.1199.2001	+ 190 €
<input type="checkbox"/> Fixed water connection kit	03.1398.6001	+ 240 €
<input type="checkbox"/> WMF CoffeeConnect	03.1999.0011	+ 640 €

Coloured foliation as an additional option (example)

Gloss Hotrod Red

¹ Capacity depends on coffee bean type / powder type in use² Attachable, please note, this changes the height to 555 mm³ Please note: Coloured foliation requires specific delivery time clarification

WMF 1300 S

BASIC MODEL



Dimensions

Width:	325 mm
Height:	670 mm
Depth:	574 mm
Clearance:	60 – 169 mm

Power supply – hot water output

2.0 - 2.4 kW / 220 - 240 V - 120 cups

Recommended for an average daily requirement of 120 cups

Similar to illustration / may contain special equipment

Basic model 1

03.1350.0511

5,390 €

Without milk system, water tank, 1 grinder, hot water central, Basic Clean, LED illumination

Basic model 2

03.1350.0070

6,020 €

Basic Milk, water tank, 1 grinder, SteamJet, hot water central, Plug+Clean, LED illumination

Basic model 3

03.1350.5010

6,515 €

Smart Milk¹, water tank, 1 grinder, SteamJet, hot water central, Smart Clean, LED illumination

¹ Fixed water connection kit 03.1398.6001 is additionally recommended.

Selectable additional options	List price / extra charge
<input type="checkbox"/> Self-service mode ³ (lockable hoppers, manual insert & door, lockable tank, single foamer & cup stops additionally enclosed ⁴)	+ 185 €
<input type="checkbox"/> Decentralised hot water spout including Basic Steam	+ 240 €
<input type="checkbox"/> 2 nd grinder	+ 510 €
<input type="checkbox"/> Powder dispenser (choc / topping)	+ 640 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Milk lance	03.1197.8001	+ 19.50 €
<input type="checkbox"/> Set of feet (100 mm) ¹	03.1999.3001	+ 85 €
<input type="checkbox"/> Fixed water connection kit ²	03.1398.6001	+ 240 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1399.2001	+ 250 €
<input type="checkbox"/> WMF CoffeeConnect	03.1399.0001	+ 640 €

¹ Feet and grounds discharged through counter cannot be combined.

² Installation by appropriate qualified personnel.

³ In self-service mode, fixed water connection and the milk empty message are strongly recommended.

⁴ With Smart Milk the single milk spout is already mounted.

WMF 1500 S+

BASIC MODEL



Dimensions

Width:	325 mm
Height:	716 mm
Depth:	590 mm
Clearance:	66 – 169 mm*

Power supply – hot water output

2.75 – 3.25 kW / 220 – 240 V - 120 cups

Recommended for an average daily requirement of 180 cups

Generally lockable hoppers and front panel

Similar to illustration / may contain special equipment

*depends on the milk system

Basic model 1

03.1920.0105

8,730 €

Basic Milk, water tank, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Basic Clean, LED illumination, Dynamic Coffee Assist

Basic model 2

03.1920.0063

9,560 €

Basic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Plug+Clean, LED illumination, Dynamic Coffee Assist

Basic model 3

03.1920.5009

9,725 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Easy Clean, Plug+Clean, LED illumination, Dynamic Coffee Assist

Basic model 4**03.1920.6012****10,565 €**

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Basic Steam, hot water spout, Clean in Place, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout

Basic model 5**03.1920.7043****12,865 €**

Dynamic Milk, fixed water connection, 2 grinder, powder dispenser (Choc or Topping), SteamJet, Jet Option, Basic Steam, WMF AutoClean, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout

Selectable additional options	List price / extra charge
<input type="checkbox"/> Preparation for syrup station <small>(Only available with Dynamic Milk system or self-service configuration)²</small>	without extra charge
<input type="checkbox"/> Self-service configuration ² for Dynamic Milk (assembled)	+ 35 €
<input type="checkbox"/> Self-service configuration ² for Basic and Easy Milk	+ 205 €
<input type="checkbox"/> Cup Sensor <small>(Only available with Dynamic Milk system or self-service configuration)²</small>	+ 280 €
<input type="checkbox"/> Cup Guard	+ 345 €
<input type="checkbox"/> 2 nd Grinder	+ 580 €
<input type="checkbox"/> Choc / topping hopper	+ 640 €
<input type="checkbox"/> Twin choc / twin topping	+ 940 €
<input type="checkbox"/> WMF AutoClean (coffee only) ³	+ 420 €
<input type="checkbox"/> WMF AutoClean ⁴	+ 1,080 €
<input type="checkbox"/> Cleaning detection ⁵	+ 265 €
<input type="checkbox"/> Level sensor powder hopper	+ 170 €
<input type="checkbox"/> Level sensor bean and powder hopper	+ 380 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm) ¹	03.1999.3001	+ 85 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1999.2001	+ 250 €
<input type="checkbox"/> WMF Dynamic Milk Barista 1.5 Step	33.3336.6000	+ 195 €
<input type="checkbox"/> External P+C adapter for WMF AutoClean	03.1997.2001	+ 350 €

¹ Feet and grounds discharged through counter cannot be combined

² Incl. automatically height-adjustable spout, cup stop and single spout.

³ Only for machines without a milk system.

⁴ Only in combination with Dynamic Milk , cleaning detection included.

⁵ Only in combination with Dynamic Milk.

WMF 5000 S+

BASIC MODEL



Dimensions

Width:	325 mm
Height:	716 mm
Depth:	590 mm
Clearance:	66 – 169 mm*

Power supply – hot water output

2.75 – 3.25 kW / 220 – 240 V – 160 cups
8.15 – 9.7 kW / 380 – 415 V – 280 cups

Recommended for an average daily requirement of 250 cups

Generally lockable hoppers and front panel

Similar to illustration / may contain special equipment
*depends on the milk system

Basic model 1

03.1950.1057

12,235 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Easy Clean, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 2.75 - 3.25 kW / 220 - 240 V

Basic model 2

03.1950.2607

12,635 €

Easy Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Easy Clean, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 8.15 - 9.7 kW / 380 - 415 V

Basic model 3

03.1950.5010

12,900 €

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Clean in Place, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 2.75 - 3.25 kW / 220 - 240 V

Basic model 4

03.1950.5991

13,300 €

Dynamic Milk, fixed water connection, 1 grinder (left hopper without grinder – dummy), SteamJet, Jet Option, Clean in Place, hot water spout, LED illumination, Dynamic Coffee Assist, automatically height-adjustable spout, 8.15 - 9.7 kW / 380 - 415 V

Selectable additional options	List price / extra charge
<input type="checkbox"/> Preparation for syrup station ²	without extra charge
<input type="checkbox"/> 8.41 - 9.96 kW / 380 - 415 V	+ 400 €
<input type="checkbox"/> Self-service configuration for Dynamic Milk (assembled) ³	+ 35 €
<input type="checkbox"/> Cup Sensor	+ 280 €
<input type="checkbox"/> Cup Guard	+ 345 €
<input type="checkbox"/> Easy Steam (Auto Steam and Easy Steam cannot be combined)	+ 350 €
<input type="checkbox"/> 2-Milk solution (only for Dynamic Milk)	+ 400 €
<input type="checkbox"/> WMF MultiMilk (only for WMF AutoClean and 2-Milk)	+ 250 €
<input type="checkbox"/> 2 nd Grinder	+ 575 €
<input type="checkbox"/> Chilled Coffee	+ 625 €
<input type="checkbox"/> Choc / topping hopper	+ 640 €
<input type="checkbox"/> Auto Steam (Auto Steam and Easy Steam cannot be combined)	+ 780 €
<input type="checkbox"/> Twin choc / twin topping hopper	+ 940 €
<input type="checkbox"/> WMF AutoClean ⁴	+ 1,080 €
<input type="checkbox"/> Cleaning detection ⁵	+ 265 €
<input type="checkbox"/> Level sensor bean and powder hopper	+ 380 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm) ¹	03.1999.3001	+ 85 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1999.2001	+ 250 €
<input type="checkbox"/> External P+C adapter for WMF AutoClean	03.1997.2001	+ 350 €
<input type="checkbox"/> WMF Dynamic Milk Barista 1.5 Step	33.3336.6000	+ 195 €

¹ Feet and grounds discharged through counter cannot be combined

² Only available with Dynamic Milk.

³ Incl. automatically height-adjustable spout, cup stop and single spout attached.

⁴ Cannot be combined with Chilled Coffee and Cup Guard. Only in combination with Dynamic Milk. Cleaning detection included.

⁵ Only in combination with Dynamic Milk.

WMF 9000 S+

BASIC MODEL



Dimensions

Width:	390 mm
Height:	744 mm
Depth:	598 mm
Clearance:	55 – 195 mm

Power supply – hot water output

3.4 – 3.8 kW / 220 – 240 V - 120 cups

6.0 – 7.0 kW / 380 – 415 V - 190 cups

Recommended for an average
daily requirement of **350** cups

Generally lockable hoppers and front panel

Similar to illustration / may contain special equipment

Basic model 1

03.8810.0171

18,580 €

Dynamic Milk, fixed water connection, Jet option, 1 grinder, SteamJet, Clean in Place, hot water spout, LED illumination, Dynamic Coffee Assist, fully automatic cup tray
3.4 – 3.8 kW / 220 – 240 V

Selectable additional options	List price / extra charge
<input type="checkbox"/> Preparation for syrup station	without extra charge
<input type="checkbox"/> Self-service configuration for Dynamic Milk (assembled)	+ 35 €
<input type="checkbox"/> 6 – 7 kW / 380 – 415 V	+ 180 €
<input type="checkbox"/> Easy Steam ²	+ 350 €
<input type="checkbox"/> Auto Steam ²	+ 785 €
<input type="checkbox"/> 2-Milk solution	+ 400 €
<input type="checkbox"/> 2 nd Grinder (heavy duty) ³	+ 915 €
<input type="checkbox"/> 3 rd Grinder ³	+ 510 €
<input type="checkbox"/> 4 th Grinder ³	+ 510 €
<input type="checkbox"/> 1 st Choc / topping hopper ³	+ 640 €
<input type="checkbox"/> 2 nd Choc / topping hopper ³	+ 640 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm) ¹	03.8899.3001	+ 85 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.8899.2001	+ 250 €

¹ Feet and grounds discharged through counter cannot be combined

² Auto Steam and Easy Steam cannot be combined

³ Maximum of 4 hoppers per coffee machine

WMF 1500 F



Dimensions

Width:	325 mm
Height:	881 mm
Depth:	590 mm
Clearance:	165 mm
(206 mm with removed spout)	

Power supply – hot water output

6 – 7 kW / 380 – 415 V, 220 Cups

Recommended for an average daily requirement of **220** cups

Generally lockable hoppers, storage container, front panel and granulate dosing

Similar to illustration / may contain special equipment

Basic model 1

03.1975.0110

11,400 €

1 grinder (central hopper without grinder – dummy), Fixed water connection, 10-inch multimedia touch display,

1 integrated 4-litres coffee urn

Power supply 6 – 7 kW / 380 – 415 V

Basic model 2

03.1975.1010

11,950 €

2 grinder, Fixed water connection, 10-inch multimedia touch display,

1 integrated 4-litres coffee urn

Power supply 6 – 7 kW / 380 – 415 V

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm) ¹	03.1999.3001	+ 85 €
<input type="checkbox"/> Grounds discharged through counter ¹	03.1999.2001	+ 250 €
<input type="checkbox"/> Quantity spout 115 mm ²	33.1750.3000	+ 125 €
<input type="checkbox"/> Quantity spout 166 mm ²	33.9885.5000	+ 180 €
<input type="checkbox"/> Quantity spout 340 mm ²	33.9838.3000	+ 200 €
<input type="checkbox"/> Laminated part for fitting the quantity spout	33.4513.1100	+ 27.50 €

¹ Feet and grounds discharged through counter cannot be combined

² Can be plugged onto the coffee spout of the coffee machine if the laminated part has been ordered

WMF 9000 F (EXTERNAL STORAGE)

BASIC MODEL



Dimensions

Width:	450 mm
Height:	782 mm
Depth:	605 mm

Pot brewing arm

Clearance:	398 mm
Diameter pot:	max. 175 mm

Power supply - hot water output

8.5 - 10.1 kW / 380 - 415 V	- approx. 72 litres
12.4 - 14.7 kW / 380 - 415 V	- approx. 110 litres

Generally lockable hoppers and front panel

Similar to illustration / may contain special equipment

Basic model 1

03.8900.0010

16,195 €

Fixed water connection, 2 ground coffee hoppers, 10-inch multimedia touch display, quantity brewing arm, pot brewing arm (pots of up to 2.8 litres) automatic cleaning granulate dosing

Power supply 8.5 - 10.1 kW / 380 - 415 V

Basic model 2

03.8900.0020

16,860 €

Fixed water connection, 2 ground coffee hoppers, 10-inch multimedia touch display, quantity brewing arm, pot brewing arm (pots up to 2.8 litres) automatic cleaning granulate dosing

Power supply 12.4 - 14.7 kW / 380 - 415 V



Heated thermal container 20l

03.6621.0001

1,875 €

with post-brewing function. Max. capacity 20 litres.

Made of double-walled stainless steel, seamlessly welded. Integrated gauge glass with aluminium casing. No-drip stainless steel tap.



Heated thermal container 40l

03.6641.0001

2,685 €

with post-brewing function. Max. capacity 40 litres.

Made of double-walled stainless steel, seamlessly welded. Integrated gauge glass with aluminium casing. No-drip stainless steel tap.



Thermal container 2.4l

03.6299.0001

285 €

Accessory for variants of WMF 9000 F with brewing arm pullout

Selectable additional options		List price / extra charge	
<input type="checkbox"/> Set of feet (100 mm)		+	85 €

Add-on kits	Item number	List price / extra charge	
<input type="checkbox"/> Spout for pot brewing arm 145 mm	33.4240.5000	+	47 €
<input type="checkbox"/> Set of feet (100 mm)	03.8999.3001	+	85 €
<input type="checkbox"/> Set of feet for thermal container 167 mm	03.6699.3011	+	85 €
<input type="checkbox"/> Quantity spout 115 mm ¹	33.1750.3000	+	125 €
<input type="checkbox"/> Quantity spout 166 mm ¹	33.9885.5000	+	180 €
<input type="checkbox"/> Quantity spout 340 mm ¹	33.9838.3000	+	200 €

¹ Can be plugged onto the coffee spout of the coffee machine

WMF 9000 F (INTERNAL STORAGE)

BASIC MODEL



Dimensions

Width:	450 mm
Height:	782 mm
Depth:	605 mm

Pot brewing arm

Clearance:	398 mm
Diameter pot:	max. 175 mm

Power supply – hot water output

8.5 – 10.1 kW / 380 – 415 V	– approx. 480 cups
12.4 – 14.7 kW / 380 – 415 V	– approx. 720 cups

Recommended for an average daily requirement of 500 cups

Generally lockable hoppers and front panel

Similar to illustration / may contain special equipment

Basic model 1

03.8900.5010

17,345 €

Fixed water connection, 1 ground coffee portioner, 10-inch multimedia touch display, 1 integrated 4-litres coffee urn, pot brewing arm (pots of up to 2.8 litres), automatic cleaning granulate dosing

Power supply 8.5 – 10.1 kW / 380 – 415 V

Basic model 2

03.8900.5020

18,010 €

Fixed water connection, 1 ground coffee portioner, 10-inch multimedia touch display, 1 integrated 4-litres coffee urn, pot brewing arm (pots of up to 2.8 litres), automatic cleaning granulate dosing

Power supply 12.4 – 14.7 kW / 380 – 415 V

**Thermal container 2.4l****03.6299.0001**Accessory for variants of WMF 9000 F
with brewing arm pullout**285 €**

Selectable additional options	List price / extra charge
<input type="checkbox"/> Set of feet (100 mm)	+ 85 €

Add-on kits	Item number	List price / extra charge
<input type="checkbox"/> Spout for pot brewing arm 145 mm	33.4240.5000	+ 47 €
<input type="checkbox"/> Quantity spout 115 mm ¹	33.1750.3000	+ 125 €
<input type="checkbox"/> Quantity spout 166 mm ¹	33.9885.5000	+ 180 €
<input type="checkbox"/> Quantity spout 340 mm ¹	33.9838.3000	+ 200 €
<input type="checkbox"/> Set of feet (100 mm)	03.8999.3001	+ 85 €

¹ Can be plugged onto the coffee spout of the coffee machine

WMF Accessory Equipment

CUP RACK



Cup rack narrow

for 60 – 260 cups / mugs, illumination,
4 heatable shelves, for all coffee machines

Dimensions

W / H / D: 286 / 530 / 539 mm

Power supply 220 – 240 V

03.9020.0102

03.1499.3001, set of feet (100 mm)

1,195 €

85 €



Cup rack wide

for 88 – 320 cups / mugs, illumination,
4 heatable shelves, for all coffee machines

Dimensions

W / H / D: 368 / 530 / 539 mm

Power supply 220 – 240 V

03.9020.0002

03.1499.3001, set of feet (100 mm)

1,925 €

85 €

CUP&COOL



Cup&Cool narrow

for 45 – 190 cups / mugs, stackable, 4.5 litres milk tank, illumination, lockable, seal can be removed, 3 heatable shelves. For all WMF fully automatic coffee specialities machines except WMF 1100 S

Dimensions

W / H / D: 286 / 530 / 566 mm

Power supply 220 – 240 V

03.9021.5013 2,535 €

03.9021.5023 2,815 €

Milk empty message, sensor for milk temperature

03.1499.3001, set of feet (100 mm) 85 €



Cup&Cool wide

for 45 – 130 cups / mugs, stackable 9.5 litres milk tank, illumination, lockable, seal can be removed, 2 heatable shelves. For all WMF fully automatic coffee specialities machines.

Dimensions

W / H / D: 368 / 530 / 565 mm

Power supply 220 – 240 V

03.9021.6013 3,235 €

03.9021.6023 3,615 €

Milk empty message, sensor for milk temperature

03.9021.6043 4,010 €

Milk empty message, sensor for milk temperature, milk hose conduction at the right or left side is possible

03.1499.3001, set of feet (100 mm) 85 €

Note: If **Cup&Cool wide** is to be used as a 2-Milk Solution please order an additional

2x 33.9520.0000 Milk bowl: 53,21 €¹

2x 33.9520.1100 Lid: 28,15 €¹

2x 33.9520.2100 Milk container: 40,30 €¹

2x 33.4073.5000 Hose connector Plug and Clean: 6,56 €¹

Total 256,44 €

¹ Price per unit

MILK COOLERS



Countertop Cooler (small)

up to 3.5 l milk, generally lockable, with removable seal.
For all WMF fully automatic coffee specialties machines.

Dimensions

W / H / D: 228 / 344 / 469 mm

Power supply 220 – 240 V

03.9190.0013

825 €

03.1299.0001, set of feet (100 mm)

85 €



Countertop Cooler (small)

up to 3.5 l milk, digital thermostat, generally lockable,
removable seal. For all WMF fully automatic coffee specialties
machines.

Dimensions

W / H / D: 228 / 392 / 463 mm

Power supply 220 – 240 V

03.9190.5003

1,175 €

03.1299.0001, set of feet (100 mm)

85 €



Countertop Cooler (medium)

up to 6.5 l milk, generally lockable, with removable seal.
For all WMF fully automatic coffee specialties machines.

Dimensions

W / H / D: 230 / 353 / 530 mm

Power supply 220 – 240 V

03.9192.6013

1,625 €

03.9192.6023

2,005 €

Milk empty message, sensor for milk temperature

03.9192.6043

2,145 €

Milk empty message, sensor for milk temperature,
milk hose conduction at the right or left side is possible

03.1499.3001, set of feet (100 mm)

85 €



Center Cooler / Countertop Cooler

up to 10.5 l milk, generally lockable, with removable seal.

For all WMF fully automatic coffee specialities machines except coffee machines with Basic Milk systems. Milk hose conduction at the right or left side is possible

Dimensions

W / H / D: 261 / 530,5 / 469 mm

03.9022.6051

1,915 €

03.9022.6041

2,295 €

Milk empty message, sensor for temperature

03.9022.6061

2,075 €

2-Milk-Solution

03.1999.3001, set of feet (100 mm)

2x Milk empty message, 1x sensor for temperature

85 €



Under-Machine Cooler / Undercounter Cooler

up to 9.5 l milk, generally lockable, removable seal.

Usage:

Under-Machine Cooler: For WMF 9000 S+

Undercounter Cooler: For all WMF fully automatic coffee specialities machines except coffee machines with Basic Milk systems. Milk hose conduction at the top.

Dimensions: W / H / D: 406 / 265 / 539 mm

Power supply 220 – 240 V

03.9468.6013

2,215 €

03.9468.6023

2,615 €

Milk empty message, sensor for milk temperature

03.9468.6033

2,730 €

2-Milk Solution, milk empty message, sensor for milk temperature

03.1499.3001, set of feet (100 mm)

85 €



Under-Machine Cooler / Undercounter Cooler

up to 9.5 l milk, generally lockable, removable seal.

Usage:

Under-Machine Cooler: For WMF 1300 S, WMF 1500 S+ and WMF 5000 S+

Undercounter Cooler: For all WMF fully automatic coffee specialities machines except coffee machines with Basic Milk systems. Milk hose conduction at the top.

Dimensions

W / H / D: 345 / 300 / 539 mm

Power supply 220 – 240 V

03.9469.6013

2,215 €

03.9469.6023

2,615 €

Milk empty message, sensor for milk temperature

03.9469.6033

2,730 €

2-Milk solution, 2x milk empty message, 1x sensor for milk temperature

03.1499.3001, set of feet (100 mm)

85 €

MILK TANK



Milk tank

removable for standard refrigerators, up to 18 l milk, polycarbonate, includes frame and milk empty message, standpipe and Plug+Clean hose adapter

Dimensions

W / H / D: 460 / 280 / 310 mm

03.9499.0001

555 €

SYRUP STATION



Syrup Station

for WMF 1500 S+, WMF 5000 S+ and WMF 9000 S+,
for up to four different syrup bottles,
generally lockable, with removable seal.

**The coffee machines must be pre-configured
by the manufacturer!**

Dimensions

W / H / D: 261 / 530.5 / 469 mm

03.9023.0001

3,415 €

03.1999.3001, set of feet (100 mm)

85 €

03.9099.6001, instant fitting kit for syrup station
with vending unit

315 €



Syrup Station Undercounter

for WMF 1500 S+ and WMF 5000 S+
for up to four different syrup bottles.

**The coffee machines must be pre-configured
by the manufacturer!**

Dimensions

W / H / D: 259 / 564 / 460 mm

03.9023.5001

3,415 €

MOBILE COFFEE STATIONS



Mobile coffee station 125+ (wide)

for WMF 1100 S, WMF 1300 S, WMF 1500 S+,
WMF 1500 S Classic, WMF 5000 S+ and WMF 9000 S+
incl. technical group 03.9493.0002

Nominal output / Power supply 3,3 kW / 230 V,
generally for 230 V versions only

Dimensions

W / H / D: 1250 / 900 / 780 mm

03.9491.0215 3,665 €

03.9491.0220¹, 3,875 €

with integrated grounds drawer Basic

03.9491.0221¹, 4,240 €

with integrated grounds drawer with telescopic pull-out



Mobile coffee station 85+ (narrow)

for WMF 1100 S, WMF 1300 S, WMF 1500 S+,
WMF 1500 S Classic, WMF 5000 S+ and WMF 9000 S+
incl. technical group 03.9493.0002

Dimensions

W / H / D: 850 / 900 / 780 mm

For coffee machines with power supply 220 - 240 V

03.9491.0201 3,480 €

03.9491.0210¹ 3,690 €

with integrated grounds drawer Basic

03.9491.0211¹ 4,050 €

with integrated grounds drawer with telescopic pull-out

Advice concerning mobile coffee stations:

Mobile station prepared for fixation of the coffee machines WMF 1500 S+ and WMF 5000 S+. In case of use with the coffee machines WMF 1100 S, WMF 1300 S or WMF 9000 S+ during order entry the requested combination incl. arrangement needs to be stated in the production memo! With the option "Grounds through counter" please consider this as well for the configuration of the coffee machine!

COFFEE STATION



Coffee station 58*

for WMF 1100 S, with inlay shelf

Dimensions

W / H / D: 580 / 900 / 600 mm

03.9494.1001²

1,135 €

03.9494.1201², incl. integrated grounds drawer **1,345 €**

Coffee station 58+*

for WMF 1100 S, without inlay shelf

03.9494.1101², incl. technical group 03.9493.002 **2,060 €**

03.9494.1301², **2,270 €**

incl. technical group 03.9493.002
and integrated grounds drawer

*Please note:

- The WMF 1100 S and the additional appliance are not screwed to the coffee station.
- For safety reasons, the coffee station can therefore only be moved without the machine and the coffee station can only be moved without the machine and the side unit.

TECHNICAL GROUP



Technical group

with external booster pump, fresh water tank, waste water tank, for WMF espresso, WMF 1100 S, WMF 1300 S, WMF 1500 S+, WMF 1500 S Classic, WMF 5000 S+ and WMF 9000 S+

Dimensions

W / H / D: 525 / 620 / 540 mm

Fresh water tank: 25 litres

Waste water tank: 13 litres

03.9493.0002

920 €

When using the technical group with a Dynamic Milk coffee machine, a separate additional lid with full indicator is required:

33.2803.9000³

150 €

¹ Please absolutely state exact combination and arrangement (machine and cooler) in production memo of order.

² During order entry the requested combination incl. arrangement needs to be stated in the production memo! The coffee machine additionally requires the option "Grounds through counter".

³ Full indicator sewage tank is required.

SPECIAL VERSIONS ACCOUNTING SYSTEMS ETC.

Serial interfaces	Item number	List price / extra charge
WMF espresso NEXT WMF espresso	modular ¹	475 €
WMF 1100 S ²	03.1199.5001 ³	475 €
WMF 1300 S ²	03.1399.5001 ³	475 €
WMF 1500 S+	modular ¹	475 €
WMF 5000 S+	modular ¹	475 €
WMF 9000 S+	modular ¹	475 €
WMF 1500 F	modular ¹	475 €
WMF 9000 F (Internal Storage)	modular ¹	475 €

CUP DISPENSER



Paper cup dispenser

for stand-alone use or on top of the Countertop Cooler (medium), applicable for 2 packs of paper cups with a length of 390 mm each, for paper cups with Ø 60 - 90 mm, stackable (up to 3 cup dispensers), for all coffee machines

Dimensions

W / H / D: 230 / 192 / 500 mm

03.9199.0003

405 €

¹ Article number creation starts when configuring the article

² Additional MDB connections not possible

³ Instant fitting kit

GROUNDS SEPARATOR



Grounds separator

incl. grounds container, capacity 12 litres,
weight: approx. 12 kg

Dimensions

W / H / D: 314 / 579 / 440 mm

03.9011.0002

1,705 €

Supplement grounds separator

03.9011.1001 Additional grounds container

315 €

Dimensions grounds container

W / H / D: 290 / 290 / 290 mm

WATER FILTERS



Tank filter (Packing unit: 4 pieces)

WMF 1100 S, WMF 1100 S OFFICE, WMF 1300 S
and WMF 1500 S+ with water tank

33.2332.2000

100.20 €


Tank filter (Packing unit: 4 pieces)

for WMF 950 S with water tank

33.7614.4000

76,40 €

WATER FILTERS




Water filter WMF Aqua Basic M

incl. WMF filter head (including connections and water filter cartridge size M) recommended for WMF 1300 S and WMF 1500 S+

03.9336.0200

345 €




Water filter WMF Aqua Basic XL

incl. WMF filter head (including connections and water filter cartridge size XL) recommended for WMF espresso, WMF 5000 S+ and WMF 9000 S+

03.9336.0300

430 €



Water filter WMF Aqua Basic 2XL

incl. WMF filter head (including connections and water filter cartridge size 2XL) recommended for WMF espresso NEXT, WMF 5000 S+, WMF 9000 S+, WMF 1500 F, WMF 9000 F (External Storage or Internal Storage).

03.9336.0400

430 €

For WMF 9000 F (External Storage and Internal Storage) an installation kit **33.9532.2000** will additionally be required due to the higher flow.



WMF Aqua Basic M

Dimensions Ø 130 mm, Height 475 mm, Filter capacity up to approx. 4,560 litres (at 10° dKH)

33.9533.1000

140 €

WMF Aqua Basic XL

Dimensions Ø 147 mm, Height 502 mm, Filter capacity up to approx. 8,160 litres (at 10° dKH)

33.9533.2000

210 €

WMF Aqua Basic 2XL

Dimensions Ø 185 mm, Height 580 mm, Filter capacity up to approx. 14,400 litres (at 10° dKH)

33.9533.3000

310 €

WMF Aqua Protect XL

Dimensions Ø 147 mm, Height 502 mm, Filter capacity up to approx. 2,245 litres (at 14° dGH)

33.9534.2000

175 €

WMF Aqua Protect 2XL

Dimensions Ø 185 mm, Height 580 mm, Filter capacity up to approx. 4,285 litres (at 14° dGH)

33.9534.3000

275 €

WMF AquaExcellence M

Dimensions Ø 130 mm, Height 475 mm, Filter capacity up to approx. 2,100 litres (at 14° dGH)

33.9535.1000

150 €

WMF AquaExcellence XL

Dimensions Ø 147 mm, Height 502 mm, Filter capacity up to approx. 3,340 litres (at 14° dGH)

33.9535.2000

225 €

WMF AquaExcellence 2XL

Dimensions Ø 185 mm, Height 580 mm, Filter capacity up to approx. 5,440 litres (at 14° dGH)

33.9535.3000

320 €

dGH = deutsche Gesamthärte (German total hardness)
dkH = deutsche Karbonathärte (German carbonate hardness)

A WIDE RANGE OF DIGITAL SOLUTIONS.



GAIN TRANSPARENCY WITH PAUL.

See at one glance how many drinks were sold at what time or the status of your machines with upcoming tasks through clearly laid-out dashboards.



Sales performance



Machine operations



OPTIMISE YOUR WORKFLOWS WITH MILA.

Run your business more efficiently by monitoring the consumption of ingredients, using remote functions and realising automation options.



Beverage-based
accounting



Limited time
offers



Consumption
monitoring



REALISE INNOVATIONS WITH LUIS.

Seamless integration of your coffee machines into an existing digital ecosystem, creating completely new business models and customer experiences.



Digital
self-service



Customer loyalty
programs



Payment
solutions

Maintenance performance	Transparency Package	Optimiser Package 03.0010.2010
Fleet Management	✓	✓
Dashboards		
- Standard Reports	✓	✓
- Extended Reports	X	✓
Remote Management		
- Media (Pictures/Video)	X	✓
- Recipes upload	X	✓
- Price Management	X	✓
- Lock/Unlock/Restart	X	✓
- Campaign Management	X	✓
Events		
- Open Events	✓	✓
- Historical/Aggregated Data	X	✓
CC-API	X	✓
Data Export	X	✓
Premium Support	X	✓
	Free of charge	6 € ^{1,2}

External antenna for WMF CoffeeConnect

to improve the signal quality

33.4239.7000

87,41 €

Transparency Package

The Transparency Package is available to all customers with a coffee machine and built-in telemetry function. This allows you to benefit from our platform solutions free of charge and without time restrictions from the moment your coffee machine is commissioned and registered on the digital platform.³

Optimiser Package

The Optimiser Package is specially designed for customers with a large fleet of coffee machines.³

Find more
information
here



¹ Per month / per active machine (active machine = more than 5 coffee-purchases per month)

² Depending on the number of active machines, billing can also take place quarterly or semi-annually

³ Both packages are valid for all machines within an organisation.

Cleaners

Item Number	Description	Price per unit	Packaging unit	Quantity / carton
33.2332.4000	Cleaning tablets (1.3 g)	18.38 €	1 can	12 cans (each 100 tablets)
33.2622.0200	Cleaning tablets (Easy Milk / Smart Milk / Dynamic Milk)	42.47 €	1 can	4 cans (each 100 tablets)
33.2118.6000	Cleaning granulate	31.76 €	1 can	12 cans (each 1 kg / 2800 pills)
33.0683.6000	Special cleaner for milk foamer	12.08 €	1 bottle	8 bottles (each 1 litre)
33.4745.4000	Cleaning granulate for WMF AutoClean	12.08 €	4 cans	4 cans (each 90 g / 250 pills)
33.4748.1000	Milk system cleaner for WMF AutoClean	23.10 €	4 bottles	4 bottles (each 2 litres)

AUTOMATIC PORTAFILTER COFFEE MACHINES		FULLY AUTOMATIC COFFEE SPECIALITIES MACHINES							FULLY AUTOMATIC FILTER COFFEE MACHINES	
WMF espresso NEXT	WMF espresso	WMF 950 S	WMF 1100 S	WMF 1100 S OFFICE	WMF 1300 S	WMF 1500 S+	WMF 5000 S+	WMF 9000 S+	WMF 1500 F	WMF 9000 F (Internal / External Storage)
X	X	X	X	X	X	X	X	X		
					X	X	X	X		
									X	X
X	X	X	X	X	X	X	X	X		
						X	X			
						X	X			

Price List valid from April 1st, 2024.

All older price lists become invalid.

All prices exclusive of VAT.

Recommended prices of WMF GmbH.

WMF GmbH

GBU Professional Coffee Machines PCM

WMF Platz 1

73312 Geislingen/Steige

Germany

Phone: +49 73 31 - 257 181

Fax: +49 73 31 - 258 792


PCM@wmf.com

www.wmf-coffeemachines.com


63.8146.0391

All technical changes, typographical mistakes
and errors reserved for the entire contents.

Printed in Germany 04.2024, 1st Edition



WMF Professional Coffee Machines



DESIGNED TO PERFORM

wmf.com